


Power Solution Industries

DESIGN, ENGINEERING & MANUFACTURING COMPANY



PRODUCT CATALOGUE



The Holding Company



CERTIFIED

ELECTRICAL BACK BOXES



Engineered to Excellence



The Holding Company

Power Solution Industries quality plan conforms comprehensively to ISO 9001:2015, ISO 45001: 2018, ISO14001: 2015. The quality assessment and reviews are carried out by DET NORSKE VERITAS. The organization defines its quality objectives at the various levels of the company in order to achieve continual improvement in quality management system.

CONTENTS

Introduction	4
Product Features	5
Product Range	6
British Standard (BS) Boxes	6
Switch Box 75 x 75 mm	6
Switch Box 135 x 75 mm	6
Switch Box with coupler 75 x 75 mm	6
Utility Boxes & Covers	7
Junction Boxes & Accessories	7
Utility Boxes & Accessories	8
Octagonal Boxes & Accessories	10
Square Boxes & Accessories	12
Weather Proof Boxes & Accessories	14

INTRODUCTION

Established in 2003, Power Solution Industries has evolved to be a leading engineering and manufacturing company. PSI provides service in designing, manufacturing and supply of high quality engineered products serving infrastructure, oil & gas, utilities, industrial and construction projects in Middle East, Africa, Asia and European regions.

“Engineered to Excellence” is the core embodiment of PSI. The expertise and the experienced engineering team in UAE, KSA and the design office in India, provides customised turnkey solutions to all products manufactured by us.

Power Solution Industries quality plan conforms comprehensively to ISO 9001:2015, ISO 45001:2018, ISO14001: 2015. The quality assessment and reviews are carried out by DET NORSKE VERITAS. The organization defines its quality objectives at the various levels of the company in order to achieve continual improvement in quality management system.

PSI is the industry-leading product line of metallic switch and socket boxes used in electrical construction. PSI products have symbolized the highest quality standards in manufacturing and innovative design, with one of the most complete offerings available.

PSI switch and socket boxes are manufactured in accordance with BS4662 and are manufactured from controlled pre-coated galvanized steel.

PRODUCT FEATURES

Safety

Effective earth continuity is ensured in our switch boxes, for varieties that include brass or steel terminals, to protect operators against any possible electrical shock. Earth terminals are pivoted to ensure tightness and earth continuity.

Reliability

High corrosion resistant enclosure

To protect against corrosion, our switch boxes are fabricated using high quality hot-dipped Galvanized steel sheet material.


Mechanical Strength

Switch boxes are designed and manufactured to ensure adequate mechanical strength during installation and durability throughout their service life. Furthermore, the lugs have threaded hole which increases their reliability and resistance to damage even after multiple use.

Testing

Effective earth continuity is ensured in our switch boxes, for varieties that include brass or steel terminals, to protect operators against any possible electrical shock. Earth terminals are pivoted to ensure tightness and earth continuity.

Certificate

**ميديل ايست لخدمات الفحص**
METS Middle East Testing Services

TEST REPORT Report No.: MR-310724-066

Client / Establishment	M/s. Power Solution Industries LLC D13 Block Dubai Industrial City, Phase-3 Sakh Shuab, Dubai, United Arab Emirates
-------------------------------	---



Sample ID : MS-310724-096
Sample Receiving Date : 31/07/2024
Reporting Date : 05/08/2024
Date of Analysis : 31/07/2024-05/08/2024
Tested by : TV
Issue No : 01 (Re-Issue Date: NA)

Sample Information:
Sample Description : GI Box (Gang Box)
Make : PSI
Requirements : BS 4662: 2006+A1:2009

Test Results:

Parameter	Test Method	Unit	Result
Visual Test	Visual	-	Free from any defects
Dimensions			
Length	Measurement	mm	72.35
Width	Measurement	mm	72.32
Height	Measurement	mm	48.47
Thickness	Measurement	mm	1.10

Note: No traceability details were provided by the client
Test Location: Ajman

Prepared by  Verified by 

Team Head
Material Science Division (MSD)
Employee Code: METS AJ EC 110

Assistant Laboratory Manager
Employee Code: METS AJ EC 103

The above test results are only applicable to the sample (s) referred above. This report shall not be reproduced except in full, without the written approval of METS laboratory.
For further clarification of reports, please contact qa@metslab.com

Form MRF 40 Issue No: 2 Page 1 of 2
P.O Box:31442, Ajman - UAE | Tel: +971 67 445538 | E-mail: lab@metslab.com | Web:www.metslab.com

**ميديل ايست لخدمات الفحص**
METS Middle East Testing Services

Report No.: MR-310724-066

Image of the tested sample





-End of Report-

Form MRF 40 Issue No: 2 Page 2 of 2
P.O Box:31442, Ajman - UAE | Tel: +971 67 445538 | E-mail: lab@metslab.com | Web:www.metslab.com

PRODUCT RANGE

SWITCH & SOCKET BOXES



FEATURES

- A general earthing terminal
- Adjustable mounting lugs
- Pre-galvanized steel construction Hot-Dipped Galvanized steel coils
- 20 mm or 25 mm knockout diameters
- Box depth 35 & 47 mm
- Steel thickness 0.9 & 1.1 mm

SWITCH BOXES 75 x 75 MM

SWITCH BOX W: 75 MM, L: 75 MM						
PRODUCT CODE	INCHES	DEPTH	KNOCKOUTS	LUGS ORIENTATION	GROUNDING TERMINAL	THICKNESS
PSIBB7735913	3x3	35mm	KO of 20 mm &25 mm	1 Adjustable & 3 Fixed	BrassTerminal	0.9 mm
PSIBB77351113	3x3	35mm	KO of 20 mm &25 mm	1 Adjustable & 3 Fixed	BrassTerminal	1.1mm
PSIBB77351122	3x3	35mm	KO of 20 mm &25 mm	2 Adjustable & 2 Fixed	BrassTerminal	1.1mm
PSIBB7735922	3x3	35mm	KO of 20 mm &25 mm	2 Adjustable & 2 Fixed	BrassTerminal	0.9mm
PSIBB7747913	3x3	47mm	KO of 20 mm &25 mm	1 Adjustable & 3 Fixed	BrassTerminal	0.9mm
PSIBB77471113	3x3	47mm	KO of 20 mm &25 mm	1 Adjustable & 3 Fixed	BrassTerminal	1.1mm
PSIBB7735922	3x3	47mm	KO of 20 mm &25 mm	2 Adjustable & 2 Fixed	BrassTerminal	0.9mm
PSIBB77471122	3x3	47mm	KO of 20 mm &25 mm	2 Adjustable & 2 Fixed	BrassTerminal	1.1mm

SWITCH BOXES 135 x 75 MM

SWITCH BOX W: 135 MM, L: 75 MM						
PRODUCT CODE	INCHES	DEPTH	KNOCKOUTS	LUGS ORIENTATION	GROUNDING TERMINAL	THICKNESS
PSIBB71435911	6 x 3	35mm	KO of 20 mm &25 mm	1 Adjustable & 1 Fixed	BrassTerminal	0.9 mm
PSIBB714351111	6 x 3	35mm	KO of 20 mm &25 mm	1 Adjustable & 1 Fixed	BrassTerminal	1.1mm
PSIBB71447911	6 x 3	47mm	KO of 20 mm &25 mm	1 Adjustable & 1 Fixed	BrassTerminal	0.9mm
PSIBB714471111	6 x 3	47mm	KO of 20 mm &25 mm	1 Adjustable & 1 Fixed	BrassTerminal	1.1mm

SWITCH BOXES 75 x 75 MM WITH COUPLER

SWITCH BOX WITH COUPLER W: 75 MM, L: 75 MM, D: 35 MM						
PRODUCT CODE	INCHES	DEPTH	KNOCKOUTS	ADJUSTABLE LUGS	EARTHING TERMINAL	THICKNESS
PSIBBPC773594	3 x 3	35mm	KO of 20 mm &25 mm	4 Fixed	without	0.9 mm
PSIBBPC773514	3 x 3	35mm	KO of 20 mm &25 mm	4 Fixed	without	1.1 mm
PSIBBPC774794	3 x 3	47mm	KO of 20 mm &25 mm	4 Fixed	without	0.9 mm
PSIBBPC774714	3 x 3	47mm	KO of 20 mm &25 mm	4 Fixed	without	1.1 mm

JUNCTION BOXES

FEATURES

- Knockouts for accommodating cutouts of various sizes as per requirement Options / Varieties
- Special slot for easy removal of cover

MATERIAL

There are a variety of material finish.

- Pre Galvanised
- Hot Dip Galvanised
- PVC Coated
- Stainless Steel



PRODUCT CODE	DEPTH	SIZE (MM)
PSIJB501010	50	100×100
PSIJB501515	50	150×150
PSIJB502020	50	200×200
PSIJB502525	50	250×250
PSIJB503030	50	300×300
PSIJB503535	50	350×350
PSIJB504040	50	400×400
PSIJB751515	75	150×150
PSIJB752020	75	200×200
PSIJB752525	75	250×250
PSIJB753030	75	300×300
PSIJB753535	75	350×350
PSIJB754040	75	400×400
PSIJB1001515	100	150×150
PSIJB1002020	100	200×200
PSIJB1002525	100	250×250
PSIJB1003030	100	300×300
PSIJB1003535	100	350×350
PSIJB1004040	100	400×400



SCREW COVER ENCLOSURES

PRODUCT CODE	INCHES	H×W×D(mm)
PSIJB644	6×4×4	150×100×100
PSIJB884	8×8×4	200×200×100
PSIJB10104	10×10×4	250×250×100
PSIJB12124	12×12×4	300×300×100
PSIJB16164	16×16×4	400×400×100
PSIJB18184	18×18×4	450×450×100



UTILITY BOXES & COVERS

RECTANGULAR UTILITY BOXES & COVERS

FEATURES

- Boxes - 1-7/8" & 2-1/8" deep
- Boxes 15.5 & 21.5 cu. in.
- Available in multiple KO sizes, with or without concentric KOs

APPLICATION

- Handy boxes, also referred to as utility boxes are used for switch boxes, convenience outlets or small junction boxes in exposed work applications
 - Great for appliances and machinery
 - PSI handy utility boxes have a small, rectangular design that enables power outlets and switches to be installed in small places
 - Can easily be customized with special holes or knockouts for OEM applications
- Standard Material



MATERIAL

- Pre- Galvanized steel

PRODUCT CODE	DESCRIPTION	SIZE	DEPTH	KNOCKOUTS	THICKNESS
PSIUB4215 - 1/2"	Utility Box 4"x 2-1/8", 1/2"	4"x 2 - 1/8"	1-1/2"	1/2"	1.2mm
PSIUB4228 - 3/4"	Utility Box 4"x 2-1/8", 3/4"	4"x 2 - 1/8"	2-1/8"	3/4"	1.2mm
PSIUB4228 - 1/2" & 3/4"	Utility Box 4"x 2-1/8", 1/2" & 3/4"	4"x 2 - 1/8"	2-1/8"	1/2" - 3/4"	1.2mm
PSIUE4215-1/2"	Utility Extension Box 4"x 2-1/8", 1/2"	4"x 2 - 1/8"	1-1/2"	1/2"	1.2mm
PSIUE4228-3/4"	Utility Extension Box 4"x 2-1/8", 3/4"	4"x 2 - 1/8"	2-1/8"	3/4"	1.2mm
PSIUE4228-1/2"&3/4"	Utility Extension Box 4"x 2-1/8", 1/2" & 3/4"	4"x 2 - 1/8"	2-1/8"	1/2" - 3/4"	1.2mm

COVERS

PRODUCT CODE	DESCRIPTION	SIZE	KNOCKOUTS	THICKNESS
PSIUC420	Utility Cover Box 4 x2-1/8", FLAT (Without KO)	4"x 2 - 1/8"	NA	1.2mm
PSIUC4212	Utility Cover Box 4 x2-1/8", 1/2" K.O	4"x 2 - 1/8"	1/2"	1.2mm
PSIUC4234	Utility Cover Box 4 x2-1/8", 3/4" K.O	4"x 2 - 1/8"	3/4"	1.2mm

UTILITY BOXES & COVERS

RECTANGULAR UTILITY BOXES & COVERS

FEATURES

- Boxes - 1-7/8" & 2-1/8" deep
- Boxes 15.5 & 21.5 cu. in.
- Available in multiple KO sizes, with or without concentric KOs

APPLICATION

- Handy boxes, also referred to as utility boxes are used for switch boxes, convenience outlets or small junction boxes in exposed work applications
 - Great for appliances and machinery
 - PSI handy utility boxes have a small, rectangular design that enables power outlets and switches to be installed in small places
 - Can easily be customized with special holes or knockouts for OEM applications
- Standard Material



MATERIAL

- Pre- Galvanized steel



PRODUCT CODE	DESCRIPTION	SIZE	DEPTH	KNOCKOUTS	THICKNESS
PSILUB4215-1/2"	Utility Box 4"x 2-1/8", 1/2"	4"x 2 - 1/8"	1-1/2"	1/2"	1.6mm UL listed
PSILUB4228-3/4"	Utility Box 4"x 2-1/8", 3/4"	4"x 2 - 1/8"	2-1/8"	3/4"	1.6mm UL listed
PSILUB4228-1/2" & 3/4"	Utility Box 4"x 2-1/8", 1/2" & 3/4"	4"x 2 - 1/8"	2-1/8"	1/2" - 3/4"	1.6mm UL listed
PSILEUB4215-1/2"	Utility Extension Box 4"x 2-1/8", 1/2"	4"x 2 - 1/8"	1-1/2"	1/2"	1.6mm UL listed
PSILEUB4228-3/4"	Utility Extension Box 4"x 2-1/8", 3/4"	4"x 2 - 1/8"	2-1/8"	3/4"	1.6mm UL listed
PSILEUB4228-1/2"&3/4"	Utility Extension Box 4"x 2-1/8", 1/2" & 3/4"	4"x 2 - 1/8"	2-1/8"	1/2" - 3/4"	1.6mm UL listed

COVERS

PRODUCT CODE	DESCRIPTION	SIZE	KNOCKOUTS	THICKNESS
PSIUC420	Utility Cover Box 4 x2-1/8", FLAT (Without KO)	4"x 2 - 1/8"	NA	1.6mm
PSIUC4212	Utility Cover Box 4 x2-1/8", 1/2" K.O	4"x 2 - 1/8"	1/2"	1.6mm
PSIUC4234	Utility Cover Box 4 x2-1/8", 3/4" K.O	4"x 2 - 1/8"	3/4"	1.6mm

UTILITY BOXES & COVERS

4" OCTAGONAL UTILITY BOXES & COVERS

FEATURES

- Boxes - 1-1/2" & 2-1/8" deep
- Boxes 15.5 & 21.5 cu. in.
- Available in multiple KO sizes, with or without concentric KOs and raised ground emboss with installed 10-32 ground screw where noted.

APPLICATION

- 4" octagon junction boxes are used to install ceiling and wall lighting fixtures, fans or convenience outlets and devices.
- Octagon boxes are used to bring power to an electrical device where multiple conductor runs are split in two or more directions
- 4" octagon blank flat covers are used to cover 4" octagon box wiring and provide a means for access when future conduit runs are required



MATERIAL

- Pre-Galvanized steel

PRODUCT CODE	DESCRIPTION	DEPTH	KNOCKOUTS	THICKNESS
PSIOB4415-1/2	Octagonal Box 4"x 4"	1-1/2"	1/2"	1.2mm
PSIOB4415-3/4	Octagonal Box 4"x 4"	1-1/2"	3/4"	1.2mm
PSIOB4415-1/2 - 3/4	Octagonal Box 4"x 4"	1-1/2"	1/2" - 3/4"	1.2mm
PSIOB4428-1/2	Octagonal Box 4"x 4"	2-1/8"	1/2"	1.2mm
PSIOB4428-3/4	Octagonal Box 4"x 4"	2-1/8"	3/4"	1.2mm
PSIOB4428-1/2-3/4	Octagonal Box 4"x 4"	2-1/8"	1/2" - 3/4"	1.2mm
PSIOB4428-1	Octagonal Box 4"x 4"	2-1/8"	1"	1.2mm
PSIOE4415-1/2	Extension Ring Octagonal Box 4"x 4"	1-1/2"	1/2"	1.2mm
PSIOE4415-3/4	Extension Ring Octagonal Box 4"x 4"	1-1/2"	3/4"	1.2mm
PSIOE4415-1/2-3/4	Extension Ring Octagonal Box 4"x 4"	1-1/2"	1/2" - 3/4"	1.2mm

COVERS

PRODUCT CODE	DESCRIPTION	KNOCKOUTS	THICKNESS
PSIOC440	Cover Octagonal Box 4" x 4", Flat (W/out KO)	NA	1.2mm
PSIOC442	Cover Octagonal Box 4" x 4"	1/2"	1.2mm
PSIOC443	Cover Octagonal Box 4" x 4"	3/4"	1.2mm
PSIOC441	Cover Octagonal Box 4" x 4"	1"	1.2mm

UTILITY BOXES & COVERS

4" OCTAGONAL UTILITY BOXES & COVERS- UL LISTED

FEATURES

- Boxes - 1-1/2" & 2-1/8" deep
- Boxes 15.5 & 21.5 cu. in.
- Available in multiple KO sizes, with or without concentric KOs and raised ground emboss with installed 10-32 ground screw where noted.

APPLICATION

- 4" octagon junction boxes are used to install ceiling and wall lighting fixtures, fans or convenience outlets and devices.
- Octagon boxes are used to bring power to an electrical device where multiple conductor runs are split in two or more directions
- 4" octagon blank flat covers are used to cover 4" octagon box wiring and provide a means for access when future conduit runs are required



MATERIAL

- Pre-Galvanized steel



PRODUCT CODE	DESCRIPTION	DEPTH	KNOCKOUTS	THICKNESS
PSIOB4415-1/2	Octagonal Box 4"x 4"	1-1/2"	1/2"	1.6mm UL listed
PSIOB4415-3/4	Octagonal Box 4"x 4"	1-1/2"	3/4"	1.6mm UL listed
PSIOB4415-1/2 - 3/4	Octagonal Box 4"x 4"	1-1/2"	1/2" - 3/4"	1.6mm UL listed
PSIOB4428-1/2	Octagonal Box 4"x 4"	2-1/8"	1/2"	1.6mm UL listed
PSIOB4428-3/4	Octagonal Box 4"x 4"	2-1/8"	3/4"	1.6mm UL listed
PSIOB4428-1/2-3/4	Octagonal Box 4"x 4"	2-1/8"	1/2" - 3/4"	1.6mm UL listed
PSIOB4428-1	Octagonal Box 4"x 4"	2-1/8"	1"	1.6mm UL listed
PSIOE4415-1/2	Extension Ring Octagonal Box 4"x 4"	1-1/2"	1/2"	1.6mm UL listed
PSIOE4415-3/4	Extension Ring Octagonal Box 4"x 4"	1-1/2"	3/4"	1.6mm UL listed
PSIOE4415-1/2-3/4	Extension Ring Octagonal Box 4"x 4"	1-1/2"	1/2" - 3/4"	1.6mm UL listed

COVERS

PRODUCT CODE	DESCRIPTION	KNOCKOUTS	THICKNESS
PSIOC440	Cover Octagonal Box 4" x 4", Flat (W/out KO)	NA	1.6mm
PSIOC442	Cover Octagonal Box 4" x 4"	1/2"	1.6mm
PSIOC443	Cover Octagonal Box 4" x 4"	3/4"	1.6mm
PSIOC441	Cover Octagonal Box 4" x 4"	1"	1.6mm

UTILITY BOXES & COVERS

4" SQUARE UTILITY BOXES & COVERS

FEATURES

- 1-1/2" & 2-1/8" deep
- Available in multiple KO sizes, with or without concentric KOs

APPLICATION

- 4" square junction boxes can be installed in walls or ceilings for lightning fixtures, switches, receptacles or other outlet devices. Square boxes are used to bring power to a number of electrical devices where multiple conductor runs are split in two or more directions

STANDARD MATERIAL

- Pre- Galvanized steel



PRODUCT CODE	DESCRIPTION	DEPTH	KNOCKOUTS	THICKNESS
PSISB4415-1/2"	Square Box 4" x 4"	1-1/2"	1/2"	1.2mm
PSISB4415-3/4"	Square Box 4" x 4"	1-1/2"	3/4"	1.2mm
PSISB4415 - 1/2" & 3/4"	Square Box 4" x 4"	1-1/2"	1/2" & 3/4"	1.2mm
PSISB4418-1/2"	Square Box 4" x 4"	1-7/8"	1/2"	1.2mm
PSISB4418-3/4"	Square Box 4" x 4"	1-7/8"	3/4"	1.2mm
PSISB4418-1/2" & 3/4"	Square Box 4" x 4"	1-7/8"	1/2" & 3/4"	1.2mm
PSISB4428-1/2"	Square Box 4" x 4"	2-1/8"	1/2"	1.2mm
PSISB4428-3/4"	Square Box 4" x 4"	2-1/8"	3/4"	1.2mm
PSISB4428-1/2 & 3/4"	Square Box 4" x 4"	2-1/8"	1/2" & 3/4"	1.2mm
PSISE4415-1/2"	Extension Ring Square Box. 4"x 4"	1-1/2"	1/2"	1.2mm
PSISE4415-3/4"	Extension Ring Square Box. 4"x 4"	1-1/2"	3/4"	1.2mm
PSISE4415-1/2 & 3/4"	Extension Ring Square Box. 4"x 4"	1-1/2"	1/2" & 3/4"	1.2mm
PSISE4428-1/2"	Extension Ring Square Box 4"x 4"	2-1/8"	1/2"	1.2mm
PSISE4428-3/4"	Extension Ring Square Box 4"x 4"	2-1/8"	3/4"	1.2mm
PSISE4428-1/2 & 3/4"	Extension Ring Square Box 4"x 4"	2-1/8"	1/2" & 3/4"	1.2mm

COVERS

PRODUCT CODE	DESCRIPTION	KNOCKOUTS	THICKNESS
PSISC440	Cover Square Box 4" x 4", Flat (Without KO)	NA	1.2mm
PSISC442	Cover Square Box 4" x 4", 1/2" KO	1/2"	1.2mm
PSISC443	Cover Square Box 4" x 4", 1/2" KO	3/4"	1.2mm

UTILITY BOXES & COVERS

4" SQUARE UTILITY BOXES & COVERS - UL LISTED

FEATURES

- 1-1/2" & 2-1/8" deep
- Available in multiple KO sizes, with or without concentric KOs

APPLICATION

- 4" square junction boxes can be installed in walls or ceilings for lightning fixtures, switches, receptacles or other outlet devices. Square boxes are used to bring power to a number of electrical devices where multiple conductor runs are split in two or more directions



STANDARD MATERIAL

- Pre- Galvanized steel



PRODUCT CODE	DESCRIPTION	DEPTH	KNOCKOUTS	THICKNESS
PSILSB4415-1/2"	Square Box 4" x 4"	1-1/2"	1/2"	1.6mm UL listed
PSILSB4415-3/4"	Square Box 4" x 4"	1-1/2"	3/4"	1.6mm UL listed
PSILSB4415-1/2" & 3/4"	Square Box 4" x 4"	1-1/2"	1/2" & 3/4"	1.6mm UL listed
PSILSB4418-1/2"	Square Box 4" x 4"	1-7/8"	1/2"	1.6mm UL listed
PSILSB4418-3/4"	Square Box 4" x 4"	1-7/8"	3/4"	1.6mm UL listed
PSILSB4418-1/2" & 3/4"	Square Box 4" x 4"	1-7/8"	1/2" & 3/4"	1.6mm UL listed
PSILSB4428-1/2"	Square Box 4" x 4"	2-1/8"	1/2"	1.6mm UL listed
PSILSB4428-3/4"	Square Box 4" x 4"	2-1/8"	3/4"	1.6mm UL listed
PSILSB4428-1/2 & 3/4"	Square Box 4" x 4"	2-1/8"	1/2" & 3/4"	1.6mm UL listed
PSILSE4415-1/2"	Extension Ring Square Box. 4"x 4"	1-1/2"	1/2"	1.6mm UL listed
PSILSE4415-3/4"	Extension Ring Square Box. 4"x 4"	1-1/2"	3/4"	1.6mm UL listed
PSILSE4415-1/2 & 3/4"	Extension Ring Square Box. 4"x 4"	1-1/2"	1/2" & 3/4"	1.6mm UL listed
PSILSE4428-1/2"	Extension Ring Square Box 4"x 4"	2-1/8"	1/2"	1.6mm UL listed
PSILSE4428-3/4"	Extension Ring Square Box 4"x 4"	2-1/8"	3/4"	1.6mm UL listed
PSILSE4428-1/2 & 3/4"	Extension Ring Square Box 4"x 4"	2-1/8"	1/2" & 3/4"	1.6mm UL listed

COVERS

PRODUCT CODE	DESCRIPTION	KNOCKOUTS	THICKNESS
PSISC440	Cover Square Box 4" x 4", Flat (Without KO)	NA	1.6mm
PSISC442	Cover Square Box 4" x 4", 1/2" KO	1/2"	1.6mm
PSISC443	Cover Square Box 4" x 4", 1/2" KO	3/4"	1.6mm

WEATHER PROOF BOXES & ACCESSORIES



1GB-ONE GANG BOXES - 2 X 4"					
PRODUCT CODE	HUB SIZE	DEPTH	SIZE	3 OUTLETS (3 HOLES)	OUTLETS
PSIWPB1G24-1/2-3	1/2"	2"	2 x 4"		Top 1
PSIWPB1G24-3/4-3	3/4"	2"	2 x 4"		Bottom 1
PSIWPB1G24-1-3	1"	2"	2 x 4"		Back 1


1GB-ONE GANG BOXES - 2 X 4"					
PRODUCT CODE	HUB SIZE	DEPTH	SIZE	4 OUTLETS (4 HOLES)	OUTLETS
PSIWPB1G24-1/2-4	1/2"	2"	2 x 4"		Top 2
PSIWPB1G24-3/4-4	3/4"	2"	2 x 4"		Bottom 1
			2 x 4"		Back 1

1GB-ONE GANG BOXES - 2 X 4"					
PRODUCT CODE	HUB SIZE	DEPTH	SIZE	5 OUTLETS (5 HOLES)	OUTLETS
PSIWPB1G24-1/2-5	1/2"	2"	2 x 4"		Top 2
PSIWPB1G24-3/4-5	3/4"	2"	2 x 4"		Bottom 2
					Back 1


1GB-ONE GANG BOXES - 2 X 4"					
PRODUCT CODE	HUB SIZE	DEPTH	SIZE	5 OUTLETS (5 HOLES) 2 SIDES	OUTLETS
PSIWPB1G24-1/2-5X	1/2"	2"	2 x 4"		Top 1
PSIWPB1G24-3/4-5X	3/4"	2"	2 x 4"		Bottom 1
					Side 1
					Side 1
					Back 1

WEATHER PROOF BOXES & ACCESSORIES


2GB-TWO GANG BOXES - 4X4" / 2X4"

PRODUCT CODE	HUB SIZE	SIZE	DEPTH	3 OUTLETS (3 HOLES)	OUTLETS
PSIWPB2G44-1/2-3	1/2"	4" x 4"	2 x 3/16"		Top 1
PSIWPB2G44-3/4-3	3/4"	4" x 4"	2 x 3/16"		Bottom 1
PSIWPB2G24-3/4-3	3/4"	2" x 4"	2 x 3/16"		Back 1


2GB-TWO GANG BOXES - 4X4" / 2X4"

PRODUCT CODE	HUB SIZE	SIZE	DEPTH	4 OUTLETS (4 HOLES)	OUTLETS
PSIWPB2G44-1/2-4	1/2"	4" x 4"	2*3/16"		Top 2
PSIWPB2G44-3/4-4	3/4"	4" x 4"	2*3/16"		Bottom 1
PSIWPB2G24-3/4-4	3/4"	2" x 4"	2*3/16"		Back 1


2GB-TWO GANG BOXES - 4X4" / 2X4"

PRODUCT CODE	HUB SIZE	SIZE	DEPTH	5 OUTLETS (5 HOLES)	OUTLETS
PSIWPB2G44-1/2-5	1/2"	4" x 4"	2*3/16"		Top 2
PSIWPB2G44-3/4-5	3/4"	4" x 4"	2*3/16"		Bottom 2
PSIWPB2G24-3/4-5	3/4"	2" x 4"	2*3/16"		Back 1

2GB-TWO GANG BOXES - 4X4" / 2X4"


PRODUCT CODE	HUB SIZE	SIZE	DEPTH	5 OUTLETS (5 HOLES) 2 SIDES	OUTLETS
PSIWPB2G44-1/2-5X	1/2"	4" x 4"	2*3/16"		Top 1
PSIWPB2G44-3/4-5X	3/4"	4" x 4"	2*3/16"		Bottom 1
PSIWPB2G24-3/4-5X	3/4"	2" x 4"	2*3/16"		Side 1
					Side 1
					Back 1

2GB-TWO GANG BOXES - 4X4" / 2X4"


PRODUCT CODE	HUB SIZE	SIZE	DEPTH	7 OUTLETS (7 HOLES)	OUTLETS
PSIWPB2G44-1/2-7	1/2"	4" x 4"	2*3/16"		Top 3
PSIWPB2G44-3/4-7	3/4"	4" x 4"	2*3/16"		Bottom 3
					Back 1

WEATHER PROOF BOXES & ACCESSORIES


2GB-TWO GANG BOXES - 4X4" / 2X4"

PRODUCT CODE	HUB SIZE	SIZE	DEPTH	7 OUTLETS (7 HOLES) - 2 SIDES	OUTLETS
PSIWPB2G44-1/2-7X	1/2"	4" x 4"	2*3/16"		Top 2
PSIWPB2G44-3/4-7X	3/4"	4" x 4"	2*3/16"		Bottom 2
					Back 1
					Side 1
					Side 1

2GB-TWO GANG BOXES - 4X4" / 2X4"

PRODUCT CODE	HUB SIZE	SIZE	DEPTH	9 OUTLETS (9 HOLES)	OUTLETS
PSIWPB2G44-1/2-9	1/2"	4" x 4"	2*3/16"		Top 3
PSIWPB2G44-3/4-9	3/4"	4" x 4"	2*3/16"		Bottom 3
					Back 1
					Side 1
					Side 1




3GB-THREE GANG BOXES




PRODUCT CODE	HUB SIZE	DEPTH	7 OUTLETS (7 HOLES)	OUTLETS
PSIWPB3G44-1/2-7	1/2"	2*5/8"		Top 3
PSIWPB3G44-3/4-7	3/4"	2*5/8"		Bottom 3
PSIWPB3G44-1-7	1"	2*5/8"		Back 1




4" ROUND BOXES



PRODUCT CODE	HUB SIZE	DEPTH	OUTLETS
PSIWPRB4-1/2	1/2"	1*9/16"	
PSIWPRB4-3/4	3/4"	1*9/16"	


WEATHER PROOF BOXES EXTENSION

EXTENSION - SINGLE GANG						
PRODUCT CODE	HUB SIZE	DEPTH	OUTLETS	NO OUTLETS	4 OUTLETS	6 OUTLETS
PSIEX1GR-1	N/A	1*3/8	0			
PSIEX1GF50-2	1/2"	1*3/8	4			
PSIEX1GF75-4	3/4"	1*3/8	4			
PSIEX1GB50-6	1/2"	1*3/8	6			
PSIEX1GB75-6	3/4"	1*3/8	6			

EXTENSION - SINGLE GANG						
PRODUCT CODE	HUB SIZE	DEPTH	OUTLETS	2 OUTLETS	4 OUTLETS	6 OUTLETS
PSIEX1GF50-2	1/2"	1*9/16	0			
PSIEX1GF50-4	1/2"	1*9/16	4			
PSIEX1GF75-4	3/4"	1*9/16	4			
PSIEX1GF50-6	1/2"	1*9/16	6			
PSIEX1GB75-6	3/4"	1*9/16	6			





EXTENSION - TWO GANG						
PRODUCT CODE	HUB SIZE	DEPTH	OUTLETS	NO OUTLETS	4 OUTLETS	8 OUTLETS
PSIEX2GR-2	N/A	1*3/8	0			
PSIEX2GF50-2	1/2"	1*3/8	6			
PSIEX2GF75-4	3/4"	1*3/8	6			
PSIEX2GB50-6	1/2"	1*3/8	8			
PSIEX2GB75-6	3/4"	1*3/8	8			

ONE GANG FLANGED EXTENSION BOXES						
PRODUCT CODE	HUB SIZE	DEPTH	OUTLETS	4 OUTLETS	6 OUTLETS	
PSIWPEX1GF50-4	1/2"	1 x 9/16"	4			
PSIWPEX1GF75-4	3/4"	1 x 9/16"	4			
PSIWPEX1GF50-6	1/2"	1 x 9/16"	6			
PSIWPEX1GF75-6	3/4"	1 x 9/16"	6			

ROUND BOXES						
PRODUCT CODE	HUB SIZE	DEPTH	OUTLETS	4 OUTLETS		
PSIWPEXR50-4	1/2"	1x 9/16"	4			
PSIWPEXR75-4	3/4"	1 x 9/16"	4			

BLANK COVERS & CLOSURE PLUGS

EXTENSION - SINGLE GANG

PRODUCT CODE	DESCRIPTION	MODEL	SAMPLE	1 GANG	2 GANG	3 GANG
PSIWPRBC	4" Round cover	Inside gasket and ground screw 150W PAR 38				
PSIWP1BC	1 gang device mount					
PSIWP2BC	2 gang device mount					
PSIWP3BC	3 gang device mount					

CLOSURE PLUGS

PRODUCT CODE	HUB SIZE	SAMPLE
PSIWPCP50	1/2"	
PSIWPCP75	3/4"	
PSIWPCP100	1"	

Quality Policy

"Excellence in Engineering"

Marketed & Represented by



Spectrum7 TRADING

Tel: +971 4 572 4787 | P. O. Box : 113403 | Dubai | UAE
sales.ae@spectrum7.net | export@spectrum7.net

www.spectrum7.net

MANUFACTURING

UNITED ARAB EMIRATES

P.O. Box: 113403, Dubai

Tel : +971 4 5724787

sales.ae@powersolutionme.com

KINGDOM OF SAUDI ARABIA

P.O. Box: 245458, Riyadh

Tel : +966 11 2422511

sales.sa@powersolutionme.com

www.powersolutionme.com

www.psiholdingltd.com



The Holding Company



Engineered to Excellence